


# Compact multilanguage owner's manual

## Model Subwoofer


**TIVOLI**  
**AUDIO**™



**1. AUTO ON/OFF:** In the Auto position, the light will glow red (STANDBY) and change to green (ON) once a signal is detected. If the subwoofer does not receive a signal after approximately 10 minutes, it will return to STANDBY and the light will change back to red.

**2. POWER INDICATOR:** See above.

**3. LEVEL:** Controls the subwoofer's volume level.




**1. INPUT:** Plug one end of the connecting cable (included) into this jack. Plug the other end of the connecting cable into the jack on the back of the Model Two radio marked "SUB". This jack accepts a 1/8" male mini plug.

**2. 12VDC:** Use this input to operate the Model Subwoofer from a DC power supply.

**3. 220V-50HZ:** Connect the supplied power cord to this jack.

## WARNING


1. For your safety, keep the Model Subwoofer a safe distance away from a naked flame, such as a lit candle.
2. The recommended operating temperature range for the Model Subwoofer is 5 degrees C - 40 degrees C.
3. The 12-16VDC input is suited for operating the Model Subwoofer in a boat or camper using an optional 12VDC, 2A fused adaptor.



**1. AUTO ON / OFF:** Wenn der Wahlschalter in der Stellung „Auto“ ist, leuchtet das rote LED auf, um den STAND-BY-Status anzuzeigen; das LED wird grün (ON), sobald ein Signal übertragen wird. Wenn der Subwoofer nach etwa 10 Minuten kein Signal empfangen hat, kehrt er in den STAND-BY-Status zurück und das LED leuchtet wieder rot auf.

**2. LED „STROMVERSORGUNG“:** siehe vorstehende Beschreibung.

**3. LAUTSTÄRKEREGLER:** Zur Regelung der Lautstärke des Subwoofers.



**1. EINGANG:** Stecken Sie den Steckverbinder des (zum Gerät gehörenden) Kabels in diese Buchse. Stecken Sie den Steckverbinder des anderen Kabelendes in die mit „SUB“ gekennzeichnete Buchse des Radios Modell Two. Der Eingang ist für 1/8"-Ministecker ausgelegt.

**2. EINGANG 12V GLS:** Benutzen Sie diesen Eingang zum Anschluß eines externen GLS-Netzteils.

**3. 220V-50HZ:** Zum Anschluß des zum Gerät gehörenden Netzsteckers.

For warranty and information outside of USA please contact your local distributor:  
<http://www.tivoliaudio.com>